



Justrite Safety Group

Wet/Dry and Oily Areas - Heavy duty

# 681 Grit Trax™



681 GRIT TRAX™

Wet/Dry and Oily Areas - Heavy duty

# 681 Grit Trax™

Thin anti-slip mats to improve safety in slippery work environments. Non-skid surfaces add traction and keep mats from shifting. Low profile for easy cart access. Loose lay for a quick and easy anti-slip solution. Light weight to facilitate lifting and cleaning with easy roll-up and clean-up.

Made of tough compounds designed to yield a long service life. Free of DOP, free of DMF, free of ozone depleting substances, free of silicone and free of heavy metals.

Gritted oil resistant vinyl with mineral coating for slip prevention in extremely wet or oily areas. Slip resistant vinyl backing.

#### Recommended use:

- Heavy duty
- Industrial Environments
- For placement in manufacturing plants, assembly lines, picking, packing and logistics warehouses, individual work stations.

#### Specifications:

- Vinyl
- Backing: Vinyl (DOP free)
- No borders
- Overall thickness: 2,1 mm
- Weight: 2,3 kg/m<sup>2</sup>
- Resistant to most chemicals, Free of DOP, free of DMF, free of ozone depleting substances, free of silicone and free of heavy metals

#### Standard sizes:

- 90cm x 150cm

#### Full rolls:

- 90cm x 18.3m

#### Custom lengths:

- 90cm x linm

#### Colours:

- Black

#### Cleaning instructions:

- Hose off with water



#### PRODUCT TESTING



GOOD BETTER BEST

## 681 Grit Trax™ (black)

Art. nr.	Dimensions	Weight kg
681S0035BL	90cm x 150cm	3,6
681R0336BL	90cm x 18.3m	44
681C0036BL	90cm x linm	2,4

# 681 Grit Trax™

## GENERAL DESCRIPTION

Type	Wet/Dry or Oily Areas - Anti Slip Mats
Description	Anti-slip mat for slippery work environments.
Recommended use	Wet/Dry and Oily Areas
Surface	Grip Step II®
Category	Ergonomic, Anti-fatigue Safety Matting Heavy duty
Colours	Black
Edges	No borders

## TECHNICAL SPECIFICATIONS

Material	Vinyl
Backing	Vinyl (DOP free)
Total weight	2,3 kg/m <sup>2</sup>
Overall thickness	2,1 mm

## TESTS

Sustainability	Recyclable material
----------------	---------------------

## DIMENSIONS

Standard sizes	Full rolls	Custom lengths
90cm x 150cm	90cm x 18.3m	90cm x linm